Message

From: Hanchett, James (DPH) [/O=COMMONWEALTH OF MASSACHUSETTS/OU=MASSMAIL-

01/CN=RECIPIENTS/CN=JAMES.HANCHETT]

Sent: 3/16/2012 2:28:55 PM

To: 'Jeannie Ruiz' [jruiz@govsci.com]
Subject: RE: Agilent Vacuum Pump Quote

Hi Jeannie,

We have no sales rep for consumables. SANDRA CASTRO-NGUYEN [sandra_castro-nguyen@non.agilent.com] was the sales rep I spoke with for the pump quote. The pump price \$ 2659.00, then with the return of the old pump we will be credited the \$701.00. I hope this answers your questions. Sorry for the confusion, everyone was unsure how to proceed with this, because it is a repair for existing equipment.

Thanks,

Jim

From: Jeannie Ruiz [mailto:jruiz@govsci.com]

Sent: Friday, March 16, 2012 9:43 AM

To: Hanchett, James (DPH)

Subject: RE: Agilent Vacuum Pump Quote

Good Morning James,

Where on this quote does is show the dollar amount of the pump you are returning? Is it included with the price? Also who is your Agilent sales rep?

Jeannie Ruiz Sales Account Manager Government Scientific Source 12351 Sunrise Valley Drive Reston, VA. 20191

Tele: 703-734-1805 Fax: 703-734-1803

----Original Message----

From: Hanchett, James (DPH) [mailto:james.hanchett@state.ma.us]

Sent: Thursday, March 15, 2012 2:09 PM

To: Jeannie Ruiz

Subject: Agilent Vacuum Pump Quote

Hi Jeannie,

I need a quote from Agilent for vacuum pump part #G3170-80025. Attached is a quote I received today from Agilent for the vacuum pump we need, I don't know if you can use it. We will be retuning old pump for a \$701.00 credit. So when pump is ordered you must inform them of the return so appropriate packaging material will be sent to us.

Thanks,

Jim Hanchett Amherst Drug Lab Room N251 Morrill I 637 North Pleasant Street Amherst, MA 01003 Phone 413-545-2607 Fax 413-545-2608 Cell

"This electronic message may contain confidential, privileged and/or legally proprietary material for the sole use of the intended recipient(s). Any review, disclosure, copying, use or distribution by others is strictly prohibited. If you are not the intended recipient, please delete all copies and contact the sender."